MINERAL SURVEY No. 3738

1

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

			*	
		KNOWN AS THE		
	VERDE 1	NO. THREE Lode		
	Warre	1	Mining I	District,
	Cochise	County,	Arizona.	
a c	12 and 13	23 S	23 E , Range 24 E	
Section ?	Tand In, Town	ship 25 S	, Range 24 E	
Summa	eyed under instruction	and Jahra Tanna	G&SRB&	M
			, 10	
		7 70 77	h T Mat-	
		by nair	h L. Motz	
			U. S. Mineral S	surveyor.
	Claim located Se	e location not	ice	
	Court weated		, 19	
	Survey commenced.	January 13	, 19 21	
	Carrier community 7	Januaru 1	4	
	Survey completed	oundary 1	4	
	Address of claimant	s attorney, F	red Sutter, Bisbee,	Arizona
	DATES O	F AMENDED LOCA	ATIONS.	

F	e	et

VERDE NO. THREE Lode.

Beginning at Cor. No. 1, the N. E. Cor., identical with location, a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 1-373° VNT, whence the Cor. Of Secs. 12 and 13, T 23 S, R 23 E and Secs. 7 and 18, T 23 S, R 24 E, G & S R B & M brs S 34°21' W 295.0 ft.

thence S 6° 17'E

245.2

intersect line between Secs. 7 and 18m T 23 S, R 24 E at S 89° 57' E 193.3 ft. from the Cor of Secs. 12. 13. 7 and 18 and N 89° 57' W 2443.5 ft. from the 1/4 Cor. between Secs. 7 and 18

1500.0

to Cor. No. 2, the S E cor., identical with location and with Cors. 2 and 3 of Survey No. 3677 Pilgrim lode and Survey No. 3498 Yaqui Scout lode respectively. a pine post 4 inches square 30 inches above ground in a mound of stones and scribed 2-3738 V N T, whence a granite ledge with 41 x 44 x 48 inches high exposure chiseled B R x 2-3738 brs N 86° 03' E 7.0 ft. and a quartzite rock in place 19 x 37 x 11 inches high above ground with like chiseling brs S 4° 20' E 46.9 ft.

thence S 79° 49' W

° 300.0

along line 2-3 Survey No. 3498 Yaqui Scout lode to south end center, identical with location and with the north end center of Survey No. 3498 Yaqui Scout lode being a mound of stones 3 ft. high with 3 ft. base

334.0

intersect line between Secs. 13, T 23 S, R 23 E and 18, T 23 S, R 24 E at S 0° 05' E 1306.5 ft. from the Cor. of Secs. 12, 13..7 and 18 and N 0° 05' W 1330.5 ft. from the 1/4 Cor. between Secs. 13 and 18

600.0

to Cor. No. 3, the S. W. Cor., identical with location and with Cors. 2 and 5 of Survey No. 3498 Yaqui Scout lode and Survey No. 3721 Verde King lode respectively, a pine post A inches square 30 inches above ground in a mound of stones and scribed 3-3738 V N T, whence a granite ledge with 45 x 69 x 44 inches high exposure chiseled B R x 3-3738 brs S 63° 58' E 10.4 ft. and a second gran-

ite ledge with 21 x 45 x 10 inches high exposure with like chiseling brs S 43° Ol' W 21.8 ft.

thence N 6º 17' W

- 989.6 intersect line 1-2 Survey No. 3714 Verdy # 2 lode at s 81° 00' W 93.9 ft. from Cor. No. 1, thereof
- 1361.1 intersect line between Secs. 12 and 13, T 23 S, R 23 E at S 89° 55' W 408.9 ft. from the Cor. of Secs. 12, 13, 7 and 18 and N 89° 55' E 2226.8 ft. from the 1/4 Cor. between Secs. 12 and 13.
- 1420.0 intersect line 4-1 Survey No. 3714 Verdy # 2 lode at N 18° 42' W 436.1 ft. from Cor. No. 1, thereof
- 1500.0 to Cor. No. 4, the N. W. Cor., identical with location a redwood post 4 feet long 4 inches square set 18 inches in the ground in a mound of stones and scribed 4-3738 V N T. whence Cor. No. 1 of Survey No. 3714 Verdy # 2 lode brs S 16° 47' E 514.6 ft.

thence N 79° 49' E

- 300.0 to original location for the north end center, being a mound of stones 3 ft. high with 3 ft. base
- intersect line between Secs. 12, T 23 S, R 23 E and 7, T 23 S, R 24 E at N 1° 20' 30" E 214.6 ft. from the Cor. of Secs. 12, 13, 7 and 18 and S 1 ° 20' 30" W 2409.6 ft. from the 1/4 Cor. between Secs. 12 and 7
- 600.0 to Cor. No. 1, the place of the beginning.

TEDGE

The presumed course of the vein on this claim is from the north end center S 6° 17' E 1500.0 ft.

AREAS.

Total Area Verde No. Three lode - - - - - - 20.613 A

Area in conflict with

Survey No. 3714 Verdy # 2 lode - - 0.463 A

LOCATION

This claim is situated in Secs. 12 and 13, T 23 S, R 23 E, and Secs. 7 and 18, T 23 S, R 24 E, G & S R B & M, in the Warren Mining District, Cochise Co., Arizona.

	MINERAL SURVEY NO. 3738 (Con't)
	IMPROVEMENTS
ina-	I hereby certify that the value of the labor and the im-
	provements placed on this claim by the claimants or their
200	grantors is not less than five hundred dollars and that
N	said improvements consist of:-
No. 1	The rolls of
	N 30° E, mouth of which brs from south end
	center on lode line 550.0 ft. Value \$ 100.00
No. 2	Open cut 8 x 14 x 20 ft. long brg N 30° E
	mouth of which brs from point on line 3-4
	N 6° 17' W 585.0 ft. from Cor. No. 3 N 59°
	18' E 219.0 ft. Value 225.00
No. 3	Open cut 4 x 7 x 13 ft/ long brg N 30° W
	mouth of which brs from point on line 3-4
	N 6° 17' W 777.0 ft. from Cor. No. 3 N 75°
. 1100 691	19' E 101.0 ft. Value 40.00
No. 4	Open cut 6 x 12 x 13 ft. long brg N 10° E
***	Mouth of which brs from same point N 56°, 37'
	E 109.0 ft. Value 100.00
No. 5	Open cut 6 x 8 x 10 ft. long brg N 20° E
	mouth of which brs from same point N 3° 58' W
	180.0 ft. Value 50.00
	Total Value of Improvements - \$515.00
	AD TOTATHO OF ATMO
East	ADJOINING CLAIMS
South	Verde No. 6 lode, unsurveyed owned by C. W. Rambo et al
W 4	Survey No. 3498 Yaqui Scout lode

West

Survey No. 3714 Verdy # 2 lode

Verde No. 1 lode, unsurveyed owned by C. W. Rambo et al

INSTRUMENT

This survey was made with a C. L. Berger & Sons No. 1 c transit. The courses were deflected from the true meridian as determined in Survey No. 3498. The distances were measured with 100 and 300 ft. steel tapes. Magnetic wariation 12° 30' East at all corners.

00.

REPORT

Cor. of Secs. 12 and 13, T 23 S, R 23 E and Secs. 7 and 18, T 23 S, R 24 E is an iron pipe with copper cap marked S 12, S 13, T 23 S, R 23 E, S 7, S 18, R 24 E 1/4 Cor. between Secs. 12 and 13 is an iron pipe with copper cap marked 1/4 S 12, S 13

1/4 Cor. between Secs. 7 and 12 is an iron pipe with copper cap marked 1/4 S 7, S 12

1/4 Cor. between Secs. 7 and 18 is an iron pipe with copper cap marked 1/4 S 7, S 18

1/4 Cor. between Secs. 18 and 13 is an iron pipe with copper cap marked 1/4 S 7, S 18

1/4 Cor. between Secs. 18 and 13 is an iron pipe with copper cap marked 1/4 S 13, S 18

All corners of Adjoining approved surveys are posts pro-

J. S. Mineral Surveyor.

Dated at Bisbee, Arizona.

'Jan. 15, 1921.

perly set and scribed.

to south to

A 183, TE William Sees morta and Article

caben saile

Towns so the transfer of the

respondent to the second

1

West en Literature

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of	the individuals	employed b	y Ralph	L. Motz	
United States Mineral Sur					
boundaries described in the					
Charles W. Rambe					
known as the VE					
and showing the respective					
			Jas. N. Ca	retto	Chainman
					, Flagman.
FIN	AL OAT	HS OF	ASSIST	ANTS.	
W., J.					
and					
the boundaries of the mining					
W. F. Cowan					
known as the Verde					
represented in the foregoing					
direction; and that said surve					
and correctly executed, and the					aw and the instruc-
tions furnished by the United (States Surveyor-			100000000000000000000000000000000000000	
		Jas	M. Ba	setto	, Chainman.
		***************************************			, Chainman.
			***************************************		, Axman.
					, Flagman.
Subscribed	d and sworn to b	y the above	-named persons	before me this	14 th
day	of Januar				
		1	Charles	Rloo	do
	N	otary Pu	blic, in a	nd for the	County of
		LUCBISE	THE ATRICE	פרנת לידות	4 4440

My commission expires May 23, 1921.

FINAL CATHS FOR SURVEYS

MET OF MANUE

Sale resident and the same and

an Angre void notify of extramity of the open out grissouls but

FIXAL DATHS OF ASSISTANCE

uit vaint ben vage in, brevier out in events and relived to grain flet solvers) of arthur comple villatell a religible oed on to bed out or a tage of the form of an year religion and have resided.

Tour includence by the United House states are the constitution of the Constitution of

A CONTRACT OF THE PARTY OF THE



FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Ralph L. Mot	Z	, U. S. Mineral Surveyor,
do solemnly swear that, in pursu	ance of instructions	s received from the United States
Surveyor General for	Arizona	, dated
January 10	, 1921, I have, in	strict conformity to the laws of the
		s thereunder, and the instructions
of said Surveyor General, faithfu	ally and correctly ex	recuted the survey of the Mining
Claim of Charles W. Ramb	o, Chase L. Pur	dy and W. F. Cowan
		, known as the
VERDE NO. THREE	Lode	······,
situate in	varren	Mining District,
12 & 13 Cochise 23 7 & 18 , Township No. 23	S Range No. 24	Arizona , in Sections E. G & S R B & M
and designated as Survey No.	2) 20	as represented
in the foregoing field notes, which		
as distinctly marked by monumen		
of the location certificate, which verificate which verif		
said instructions, and that all the		
petuated in strict accordance with under; and I do further solemnly		
field notes of said survey and m		
improvements made upon said min		
are as therein fully stated, and th		
thereof are specified therein with		
said labor or improvements so cree		
of expenditures upon any other clai		
	Mal	U. S. Mineral Surveyor.
		U. S. Mineral Surveyor.
Subscribed and sworn to by th		
		s R. Woods, Notary Public,
		this 15th
day of January		
	Charl	isklvooda
No	tary Public, in	n and for the County of

My commission expires May 23, 1921.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

- Phoemx, Arizona,
March 24 , 19 2
I, U. S. Surveyor-General forDISTRICT_OF_ARIZOHA
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the surve
of the mining claim of
CHARLES W. RAMBO, CHASE L. PURDY and W. F. COWAN
known as the VERDE NO. THREE Lode
situate inWARREN
Mining District, COCHISE County, ARIZONA 12 and 13 23 S., 23 E., in Sections 7 and 18 Township No. 23 S., Range No. 24 E., and
designated as Survey No, has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, i
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the <i>locus</i> thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve
ments made upon said mining claim by claimant sor their grantors, and that said improvements
consist of 5 cuts, total value \$515.

and that no portion of said labor or improvements has been included in the estimate of expenditures
apon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix,
Arizona is correct and in conformity with the foregoing Field Notes.
Frank P. Trott
United States Surveyor-General for. Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

	Phoenix.	Arizona.	
		March 24	, 1921
I, U. S. Surveyor General for	DISTRICT OF ARI	ZONA.	
do hereby certify that the foregoing and	l hereto attached Field No	tes and Return of th	e Survey of the
Mining Claim of			
CHARLES W. RAMBO	. CHASE I. PURDY	and W. F. COWA	N
			, known as the
VER	DE NO. THREE Lode		
situate in	WARREN		mining district,
COCHISE	County,	A	RIZONA,
12 and 13 in Sections 7 and 18 , To	23 S.		23 E.,
G & SRB & M., designated as Sur	vey No		
executed byRalph_L	. Notz		., U. S. Mineral
Surveyor, January 13-1	4	., 19 21 , under my in	structions dated
January 10,	., 19 21 , have been critical	ally examined and the	e necessary cor-
rections and explanations made, and the	ne said Field Notes and Ro	eturn, and the Surve	y they describe,
are hereby approved. The certified cop	y of the location certificat	e filed by the applica	ant for survey is
on file in this office and a true copy of sa	id certified copy of said loc	eation certificate is inc	cluded and made
a part of the transcript of the field note	98.		
	Fram	LP Fro	7/
	U. S. Surveyor	General forAriz	ona